



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/131/161/06/23/1010 EXT 01/06/23

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : CATU
10/20 AVENUE JEAN JAURES 92 229 BAGNEUX
FRANCE

Description

PPE Type : *a safety and electrical protection footwear*

Product reference : MV222

Article code : CGAG3

Construction and material of outsole : **Injected polyurethane midsole / red nitrile outsole**

Pictures :



Reference standard : EN ISO 20345:2011 and RTE SERECT ST HTA 70A ind E § 3.4

Classification : I **Category :** SB P WRU HRO SRC E FO
CLASS 0 - 1000 V

Size range : 39-47 **Slip resistance :** SRC

Toecap nature : Non Metallic **Insert nature :** Non Metallic

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module D (ASQUAL 0334)

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from June 2023 and the Instruction for Use index 99-9713-06.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISADO

Certification Manager



Date of first issue : 09 June 2023

End of validity date : 09 June 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

CATU

MANUFACTURER'S TECHNICAL FILE

Reference of the product : MV222

Article code : CGAG3

Technical file index : 01

Last update : June 2023

IDENTIFICATION

Reference of the product : MV222
Article Code : CGAG3
Minor variant of model : MV 223
Technical file index : 01
Last update : June 2023

Manufacturer :

CATU
10/20 AVENUE JEAN JAURES 92 229 BAGNEUX
FRANCE
tel : 01 42 31 46 00
fax : 01 42 01 46 33

Factory :

MILLE S.A.S.
69 rue Marcel Valérian Parc d'Activité de la Grange Blanche 84350 COURTHEZON
FRANCE
Tel : 33490704040
Fax : 33490704041

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : Master Compo Homme (MCH)

Range of sizes :

39-47

Construction and material of outsole :




Injected polyurethane midsole / red nitrile outsole

Field of use

Construction/ Heavy Industry

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.8	Protection against electrical shock	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	NUGNOI	Greased nubuck 20-22	Black
	DMIPN2	Microfiber grain pampa	Black
	PARINO	Plastic "Top Light®" eyestay	Black
	RIPLNO	Plastic "Top Light®" rivets back plate	Black
COLLAR	TOARGR	Artico canvas	Grey
TONGUE	TOIENO	Coated canvas	Black
VAMP LINING	TOINGR	Non woven canvas	Grey
QUARTER LINING	TOSNO3	Textile	Black
	AGLIGF	Heel grip textile	Dark grey
INSOCK	PRPHOM	Textile Men 39/48	Black
OUTSOLE	MHCNO	PU MCH Confort Men	Black
	SHRORI (=SHROOR)	Nitrile insulating HRO outsole	Red
INSOLE	PRMAPI	Antiperforation textile (=Moron Protector-Z Azul)	Blue
TOE CAP	BCOXXL	Composite fiberglass	Light grey
INSERT	PRMAPI	Antiperforation textile (=Moron Protector-Z Azul)	Blue
DECORATIVE ELEMENTS		reflective textile (upper and tongue)	Grey
		Drapeau CATU	Black / Red
		Oval rubber GM logo	Orange/White/Black

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety and electrical protection footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 - Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 - Personal protective equipment - Safety footwear

RTE SERECT ST HTA 70A ind E - Special footwear for use during work or activities in electrical installations which are or may be under tension (except height of upper requirement)

It is a category III product Module D (ASQUAL (0334) 14 rue de reculettes 75013 Paris)

Requirement of the standard EN ISO 20345:2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345:2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


Additional requirements :

The additional requirements are :


- Closed seat region
- Energy absorption of seat region
- Outsole: Fuel oil resistance
- Upper: Water penetration and water absorption
- Penetration resistance
- Outsole: Resistance to hot contact
- Whole footwear: dielectric test (RTE - ST HTA 70A ind E § 3.4)

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference MV222
- * Article code CGAG3
- * Size
- * Year and month of manufacture
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements
- * A space for the date of entry into service
- * A space for periodic tests or inspections to be conducted.

Marking example :



The location of marking is : Tongue lining and outsole

Method of marking on the footwear :

White normative label stitched on the tongue lining + engravings on the outsole

Packaging :

1 pair per cardboardbox + dessicant pouch + IFU

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory References		Laboratory References	
CTC	L181021473_1	CTC	L220304971-1
CTC	L181225203_1	CTC	L220508144-1
CTC	L190101922_1	CTC	L230508751-1
CTC	L190202266_1	CTC	L230508757-1
CTC	L190202278_1	CTCR	SE-04139
CTC	L190203695_1	CTCP	BA-2902/2020
CTC	L190203705_1	INESCOP	C-20029073
CTC	L200405913_1	INESCOP	C-20049615
CTC	L200405914_1	INESCOP	C-23048885
CTC	L200711660_1	INTERTEK	DEL20004623_REV1
CTC	L200812859-1	INTERTEK	GZHT90952753
CTC	L220304104-1	LCIE	14204440-776039-B
CTC	L220304134-1		

MEANS OF CONTROL

100% Dielectrical inspection of insulating shoes on our own test bench :

1.1 Settings for each Manufacturing Order On the machine console :

- Choice of shoe reference.
- Enter the OF number.
- Enter the name of the operator.
- Test a dielectrically non-compliant shoe to validate the test bench (only do this once if several consecutive Manufacturing Orders).

1.2 Operation for each pair

- Take a shoe box.
- Open the box.
- Take the pair of shoes and remove the soles, the laces and put them back in the box.
- Position the pair of shoes in the machine.
- Fill the shoes with beads (completely cover the insole).
- Start the cycle.

Empty the balls and check that there are no balls in the shoes.

If the test is validated by the machine, continue the protocol:

- Mark the month and year on the inside label of each shoe with the stamp.
- Put the shoes back in the box.
- Put a notice and the control report.
- 100% check the presence of all the elements in accordance with the quality control sheet.
- Close the box.
- Put a "tested" stamp on the box.
- Clear out.

If the test is non-compliant:

- See the Quality department for the creation of a Production Non-Conformity.
- Submit the Control report indicating "BAD (Fail)" to the Quality department.

1.3 Operation at the end of OF (Manufacturing Order)

- At the end of MO, at the end of the day, or at the end of several consecutive MO, retest the dielectrically non-compliant shoe to confirm the non-drift of the test bench.

PPE subject to ageing :

Peremption period : 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.catuelec.com